

FIG.1




FIG. 2

1




FIG.3

FIG. 4




FIG. 4




FIG.5




FIG. 6

ONE-TOUCH/ABBREVIATED
NUMBER REGISTRATION TABLE

701 No.	702 DESTINATION MAIL ADDRESS	703 TELEPHONE NUMBER	704 FAX TRANSMISSION FLAG	705 TIMER INITIAL VALUE(MIN.)	706 DELIVERY CONFIRMATION FLAG
001	<u>Test@mgcs.co.jp</u>	54347073	EXECUTE	10	EXISTENCE
002	<u>Test2@mgcs.co.jp</u>	(NON-REGISTRATION IS EXECUTED WHEN NO G3 TRANSMISSION IS PERFORMED)	NON-EXECUTE	5	ABSENCE
999	<u>Test99@mgcs.com</u>	00112345678	EXECUTE	60	EXISTENCE

FIG.7

TRANSMISSION JOB TABLE

801	802	803	804	805	806	807
MANAGE NUMBER	DESTINATION MAIL ADDRESS	TELEPHONE NUMBER	TIMER VALUE(MIN.)	TRANSMISSION MAIL MESSAGE ID	STATUS	FILE NAME
001	Test@mgcs.co.jp	54347073	10	199911300606.A002 @mgcs.co.jp	WAIT FOR DELIVERY CONFIRMATION	0123
002	Test2@mgcs.co.jp		5	199911300607.B002 @mgcs.co.jp	WAIT FOR TIMEOUT	0124

FIG.8




FIG. 9

105020" 13955/260




FIG. 10

105020" 0955/250

Received: by bulls.mei.co.jp (8.9.3/3.7W) with internal id QAA04949;
Tue, 8 Feb 2000 16:18:49 +0900 (JST)
Date: Tue, 8 Feb 2000 16:18:49 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON@bulls.mei.co.jp>
Subject: Returned mail: Host unknown (Name server: mgcs.mei.jp.: host not found)
Message-Id: <200002080718.QAA04949@bulls.mei.co.jp>
To: <wakaba@rdmg.mgcs.mei.co.jp>
MIME-Version: 1.0
Auto-Submitted: auto-generated (failure)
Content-Type: multipart/report; report-type=delivery-status;
boundary="QAA04949.949994329/bulls.mei.co.jp"

The original message was received at Tue, 8 Feb 2000 16:18:45 +0900 (JST)
from dodgers.mei.co.jp [157.8.1.150]

----- The following addresses had permanent fatal errors -----
<wall111@mgcs.mei.jp>

----- Transcript of session follows -----
550 <wall111@mgcs.mei.jp>... Host unknown (Name server: mgcs.mei.jp.: host not found)

Content-Type: message/delivery-status

Reporting-MTA: dns; bulls.mei.co.jp
Received-From-MTA: DNS; dodgers.mei.co.jp
Arrival-Date: Tue, 8 Feb 2000 16:18:45 +0900 (JST)


Final-Recipient: RFC822; wall111@mgcs.mei.jp
Action: failed
Status: 5.1.2
Remote-MTA: DNS; mgcs.mei.jp
Last-Attempt-Date: Tue, 8 Feb 2000 16:18:48 +0900 (JST)

Received: from nwpc08.mei.jp
by server.mei.jp (8.9.3/3.7W-RDMG) with SMTP id QAA03777
for <wakaba@mei.jp>; Tue, 8 Feb 2000 16:15:29 +0900 (JST)
Message-Id: 200002080716.AA04530@ifax.co.jp ←--Message ID
From: Wakabayashi <wakaba@mei.jp>
Date: Tue, 08 Feb 2000 16:16:05 +0900
To: wakaba@mei.jp
MIME-Version: 1.0
X-Mailer: InternetFAX
Content-Type: text/plain; charset=iso-2022-jp

Thank you for your assistance.

FIG. 11

IN CASE OF TIMEOUT
(CASE WHERE NEITHER ERROR MAIL NOR DSN IS RECEIVED)



CASE OF FAX TRANSMISSION

CASE OF NO FAX TRANSMISSION

FIG. 12A

FIG. 12B

IN CASE WHERE TRANSMISSION
CONFIRMATION MAIL IS RECEIVED





FIG. 13A

FIG. 13B

IN CASE OF ERROR



CASE OF FAX TRANSMISSION

FIG.14A

CASE OF NO FAX TRANSMISSION

FIG.14B